

<b>FOREWORD</b> .....		<b>iii</b>
<b>TASK FORCE</b> .....		<b>iv</b>
<b>NOTICE TO USERS</b> .....		<b>v</b>
<b>TABLE OF CONTENTS</b> .....		<b>vii</b>
 <b>CHAPTER 1   BASICS OF SOUND AND THE ASSESSMENT OF SOUND</b>		<b>Page</b>
1.1	SOUND WAVES .....	1.1
1.2	TYPES OF SOUND WAVES .....	1.2
1.3	SOUND FIELDS OF SPHERICAL SOUND SOURCES .....	1.3
1.4	SOURCE, PATH, AND RECEIVER .....	1.4
1.5	SOUND PRESSURE, SOUND INTENSITY, AND SOUND POWER .....	1.4
1.6	DECIBELS AND LEVELS .....	1.6
1.7	PRESENCE OF BACKGROUND SOUND .....	1.8
1.8	WEIGHTING NETWORKS AND OCTAVE AND THIRD OCTAVE FREQUENCY BANDS .....	1.9
1.9	HOW THE HUMAN EAR RESPONDS TO SOUND .....	1.10
1.10	INDOOR SOUND CRITERIA .....	1.12
 <b>CHAPTER 2   MECHANICAL VIBRATION</b>		
2.1	VIBRATION IN BUILDINGS .....	2.1
2.2	FUNDAMENTALS OF VIBRATION .....	2.1
2.3	VIBRATION CRITERIA .....	2.5
2.4	VIBRATION ISOLATION: ONE-DEGREE-OF-FREEDOM SYSTEMS .....	2.6
2.5	VIBRATION ISOLATION: TWO-DEGREE-OF-FREEDOM SYSTEMS .....	2.9
2.6	VIBRATION ISOLATORS .....	2.10
2.7	STRUCTURAL ISOLATIONS BASES .....	2.13
2.8	CURB BASES .....	2.14
2.9	FLEXIBLE CONNECTIONS .....	2.14
2.10	FLOATING FLOORS .....	2.17
2.11	FLOOR CONSTRUCTIONS USED TO SUPPORT MECHANICAL EQUIPMENT .....	2.17
2.12	EQUIPMENT VIBRATION ISOLATION REQUIREMENTS .....	2.18
2.13	VIBRATION ISOLATION SYSTEMS .....	2.19
2.14	VIBRATION ISOLATOR SELECTION .....	2.19
2.15	INVESTIGATION OF VIBRATION PROBLEMS .....	2.22
2.16	CAUSES OF STRUCTURE-BORNE VIBRATION PROBLEMS .....	2.24
 <b>CHAPTER 3   ACOUSTICAL DESIGN OF MECHANICAL SYSTEMS</b>		
3.1	SOUND LEVELS .....	3.1
3.2	SYSTEM DESIGN GUIDELINES .....	3.1
3.3	SOUND PATH DESIGN PROCEDURES .....	3.4
3.4	EQUIPMENT SOUND DATA .....	3.4
3.5	FANS .....	3.5
3.6	VARIABLE-AIR-VOLUME (VAV) SYSTEMS .....	3.5
3.7	ROOFTOP CURB-MOUNTED AIR-HANDLERS .....	3.8
3.8	AIRFLOW GENERATED DUCT RUMBLE .....	3.10
3.9	AERODYNAMICALLY GENERATED SOUND IN DUCTS .....	3.13
 <b>CHAPTER 4   MECHANICAL EQUIPMENT SOUND</b>		
4.1	INTRODUCTION .....	4.1
4.2	FANS .....	4.1



4.3	REFRIGERATION EQUIPMENT .....	4.3
4.4	BOILERS AND STEAM EQUIPMENT .....	4.4
4.5	COOLING TOWERS .....	4.4
4.6	RECIPROCATING ENGINES .....	4.6
4.7	GAS TURBINE ENGINES .....	4.8
4.8	ELECTRIC GENERATORS .....	4.10
4.9	ELECTRIC MOTORS .....	4.10
4.10	PUMPS .....	4.11
4.11	AIR COMPRESSORS .....	4.12
4.12	ELECTRICAL TRANSFORMERS .....	4.12
<b>CHAPTER 5</b>	<b>SOUND GENERATION AND ATTENUATIONS ASSOCIATED WITH DUCTS AND FITTINGS</b>	<b>Page</b>
5.1	INTRODUCTION .....	5.1
5.2	REGENERATED SOUND POWER ASSOCIATED WITH DUCT FITTINGS ..	5.1
5.3	SOUND ATTENUATION ASSOCIATED WITH DUCT ELEMENTS .....	5.11
5.4	SOUND POWER BREAKOUT AND BREAKIN IN DUCTS .....	5.32
5.5	INSERTION LOSS OF EXTERNAL LAGGING ON RECTANGULAR DUCTS .....	5.46
<b>CHAPTER 6</b>	<b>SOUND TRANSMISSION IN INDOOR AND OUTDOOR SPACES</b>	
6.1	INTRODUCTION .....	6.1
6.2	SOUND TRANSMISSION THROUGH CEILING SYSTEMS .....	6.1
6.3	RECEIVER ROOM SOUND CORRECTIONS .....	6.3
6.4	SOUND TRANSMISSION THROUGH MECHANICAL ROOM WALLS, FLOOR, OR CEILING .....	6.6
6.5	SOUND TRANSMISSION IN OUTDOOR ENVIRONMENTS .....	6.10
<b>CHAPTER 7</b>	<b>SYSTEM EXAMPLE</b>	
7.1	INTRODUCTION .....	7.1
7.2	EXAMPLE .....	7.1
<b>CHAPTER 8</b>	<b>MECHANICAL EQUIPMENT SOUND AND VIBRATION SPECIFICATIONS AND INSPECTIONS</b>	
8.1	INTRODUCTION .....	8.1
8.2	MECHANICAL EQUIPMENT SOUND AND VIBRATION SPECIFICATIONS ..	8.1
8.3	MECHANICAL EQUIPMENT SOUND AND VIBRATION ISOLATION INSPECTIONS .....	8.2
<b>CHAPTER 9</b>	<b>SOUND INSTRUMENTATION AND MEASUREMENTS</b>	
9.1	INTRODUCTION .....	9.1
9.2	SOUND MEASUREMENT INSTRUMENTATION .....	9.1
9.3	INDOOR SOUND MEASUREMENTS .....	9.4
9.4	OUTDOOR SOUND MEASUREMENTS .....	9.7
<b>CHAPTER 10</b>	<b>VIBRATION INSTRUMENTATION AND MEASUREMENTS</b>	
10.1	INTRODUCTION .....	10.1
10.2	VIBRATION MEASUREMENT INSTRUMENTATION .....	10.1
10.3	INDOOR VIBRATION MEASUREMENTS .....	10.5
10.4	LOCATIONS FOR THE VIBRATION MEASUREMENTS .....	10.5
10.5	VIBRATION MEASUREMENTS .....	10.6
10.6	ASSESSMENT OF INDOOR VIBRATION MEASUREMENTS .....	10.6
10.7	REPORT .....	10.7
<b>REFERENCES</b>	.....	<b>R.1</b>
<b>GLOSSARY</b>	.....	<b>G.1</b>
<b>INDEX</b>	.....	<b>I.1</b>

**TABLES**

**Page**

1-1	Attenuation Associated with Weighting Networks .....	1.9
1-2	Band Limits and Center Frequencies for Octave Frequency Bands (Hz) .....	1.10
1-3	Significant Frequency Ranges for Hearing .....	1.10
1-4	Subjective Response Characteristics of the Ear .....	1.11
1-5	Subjective Effects to Changes in Sound Levels .....	1.11
1-6	Definition of the Sound Quality Descriptor and the Quality Assessment Index (QAI) to Aid in Interpreting RC Mark II Ratings for HVAC-Related Sound .....	1.18
1-7	Design Guidelines for HVAC Related Background Sound in Rooms Recommended by ASHRAE .....	1.19
1-8	Listening Conditions and Telephone Use As a Function of NC Criteria .....	1.19
1-9	Comparison of Sound Rating Methods .....	1.20
2-1	Vibration Criteria Curves for Acceptable Vibration in Buildings for Continuous Vibration (Curves Refer to Values Specified in Figure 2-5) .....	2.5
2-2	Lightweight Floor Constructions .....	2.18
2-3	Equipment that Requires Vibration Isolation .....	2.19
2-4	Vibration Isolator Selection Guide .....	2.20
2-5	Potential Causes of Machine-Related Vibration Problems .....	2.23
3-1	Sound Sources, Transmission Paths, and Recommended Noise Reduction Methods .....	3.3
3-2 (I-P)	Maximum Recommended Duct Airflow Velocities Necessary to Achieve Specified Acoustic Design Criteria .....	3.12
3-2 (SI)	Maximum Recommended Duct Airflow Velocities Necessary to Achieve Specified Acoustic Design Criteria .....	3.12
3-3 (I-P)	Maximum Recommended "Free" Supply Outlet and Return Air Opening Velocities Necessary to Achieve Specified Acoustic Design Criteria .....	3.13
3-3 (SI)	Maximum Recommended "Free" Supply Outlet and Return Air Opening Velocities Necessary to Achieve Specified Acoustic Design Criteria ..	3.13
4-1	Specific Sound Power Levels, $K_w$ , (dB) for Fan Total Sound Power .....	4.1
4-2	Blade Frequency Increments (BFI) .....	4.2
4-3	Correction Factor, C, for Off-Peak Operation .....	4.2
4-4	Correction Values for Obtaining Chiller Octave Band Sound Pressure Levels ..	4.3
4-5	Octave Band Sound Pressure Levels for Absorption Machines .....	4.3
4-6	Octave Band Sound Pressure Levels for Boilers and Steam Equipment .....	4.4
4-7	Frequency Correction Values for Cooling Towers .....	4.4
4-8	Corrections to Average $L_p$ Values for Direction Effects of Cooling Towers .....	4.5
4-9	Approximate Close-in $L_p$ near the Intake and Discharge Openings of Cooling Towers .....	4.6
4-10	Correction Terms for Equation 4-10 .....	4.7
4-11	Correction Terms for $L_w$ Calculations Associated with Reciprocating Engines ..	4.7
4-12	Correction Terms for $L_w$ Calculations Associated with Gas Turbines .....	4.9
4-13	Correction Terms Associated with Electric Generators .....	4.10
4-14	Correction Terms Associated with Electric Motors .....	4.11
4-15	Correction Terms Associated with Pumps .....	4.12
4-16	Octave Band Sound Pressure Levels for Air Compressors .....	4.12
4-17	Correction Terms Associated with Electrical Transformers .....	4.13
5-1	Absorption Coefficients for Selected Plenum Materials .....	5.12
5-2	Sound Attenuation in Unlined Rectangular Sheet Metal Ducts .....	5.14
5-3 (I-P)	Sound Attenuation (dB/ft) in Unlined Rectangular Sheet Metal Ducts .....	5.15
5-3 (SI)	Sound Attenuation (dB/m) in Unlined Rectangular Sheet Metal Ducts .....	5.15
5-4	Constants for Use in Equation 5-45 .....	5.15
5-5 (I-P)	Insertion Loss for Rectangular Sheet Metal Ducts 1-in. Fiberglass Lining ..	5.16
5-5 (SI)	Insertion Loss for Rectangular Sheet Metal Ducts 25-mm Fiberglass Lining ..	5.16
5-6 (I-P)	Insertion Loss for Rectangular Sheet Metal Ducts 2-in. Fiberglass Lining ..	5.17
5-6 (SI)	Insertion Loss for Rectangular Sheet Metal Ducts 51-mm Fiberglass Lining ..	5.17
5-7 (I-P)	Sound Attenuation in Straight Circular Ducts (dB/ft) .....	5.18
5-7 (SI)	Sound Attenuation in Straight Circular Ducts (dB/m) .....	5.18
5-8	Coefficients for Equation 5-48 .....	5.19



**TABLES (continued)**

	<b>Page</b>
5-9 (I-P) Insertion Loss for Dual-Wall Circular Sheet Metal Ducts 1-in. Fiberglass Lining .....	5.20
5-9 (SI) Insertion Loss for Dual-Wall Circular Sheet Metal Ducts 25-mm Fiberglass Lining .....	5.20
5-10 (I-P) Insertion Loss for Dual-Wall Circular Sheet Metal Ducts 2-in. Fiberglass Lining .....	5.21
5-10 (SI) Insertion Loss for Dual-Wall Circular Sheet Metal Ducts 51-mm Fiberglass Lining .....	5.21
5-11 (I-P) Values of BW (KHz-in) .....	5.22
5-11 (SI) Values for BW (KHz-mm) .....	5.22
5-12 (I-P) Insertion Loss Values of Unlined and Lined Square Elbows without Turning Vanes .....	5.22
5-12 (SI) Insertion Loss Values of Unlined and Lined Square Elbows without Turning Vanes .....	5.22
5-13 (I-P) Insertion Loss Values of Round Elbows .....	5.22
5-13 (SI) Insertion Loss Values of Round Elbows .....	5.22
5-14 (I-P) Insertion Loss Values of Unlined and Lined Square Elbows with Turning Vanes .....	5.22
5-14 (SI) Insertion Loss Values of Unlined and Lined Square Elbows with Turning Vanes .....	5.22
5-15 7 ft (2.1 m), Rectangular Silencer – 20–25 Percent Open Face Area .....	5.26
5-16 7 ft (2.1 m), Rectangular Silencer – 45–50 Percent Open Face Area .....	5.26
5-17 Circular Silencer with a Center Body .....	5.27
5-18 Circular Silencer without a Center Body .....	5.27
5-19 Coefficients for Determining Static Pressure Drop Across Duct Silencers .....	5.27
5-20 Coefficients for System Component Effects on Duct Silencers .....	5.28
5-21 Duct Branch Sound Power Division .....	5.29
5-22 Duct End Reflection Loss – Duct Terminated in Free Space .....	5.31
5-23 Duct End Reflection Loss – Duct Terminated Flush with a Wall .....	5.31
5-24 TL <sub>OUT</sub> Values for Unlined Rectangular Sheet Metal Ducts .....	5.34
5-25 TL <sub>OUT</sub> Values for 1-in.-Thick (25 mm), Fiberglass-Lined, Rectangular Sheet Metal Ducts .....	5.36
5-26 TL <sub>OUT</sub> Values for Unlined, Spiral-Wound, Circular Sheet Metal Ducts .....	5.39
5-27 TL <sub>OUT</sub> Values for 1-in.-Thick (25 mm), Fiberglass-Lined, Spiral-Wound, Circular Sheet Metal Ducts .....	5.40
5-28 TL <sub>OUT</sub> Values for 1-in.-Thick (25 mm), 4.4 lb/ft <sup>3</sup> (70.5 kg/m <sup>3</sup> ) Density, Foil-Back, Fiberglass Duct Board Ducts .....	5.42
5-29 TL <sub>OUT</sub> vs. Frequency for Flat Oval Ducts .....	5.44
5-30 TL <sub>IN</sub> vs. Frequency for Flat Oval Ducts .....	5.44
6-1 (I-P) Transmission Loss Values for Ceiling Materials .....	6.1
6-1 (SI) Transmission Loss Values for Ceiling Materials .....	6.1
6-2 $\tau$ for Different Types of Ceiling Configurations .....	6.2
6-3 Transmission Loss Values of Typical Integrated Ceiling Systems .....	6.2
6-4 (I-P) Ceiling/Plenum/Room Sound Attenuation for Generic Suspended Ceiling Systems .....	6.2
6-4 (SI) Ceiling/Plenum/Room Sound Attenuation for Generic Suspended Ceiling Systems .....	6.2
6-5 Average Sound Absorption coefficient, $\alpha$ , for Typical Room Surfaces .....	6.3
6-6 Energy Attenuation Constant, 4m .....	6.5
6-7 Sound Absorption Coefficients for Various Construction Materials .....	6.7
6-8 Transmission Loss Values of Drywall Configurations .....	6.8
6-9 Transmission Loss Values of Masonry/Floor/Ceiling Configurations .....	6.8
6-10 Transmission Loss Values of Painted Masonry Block Walls and Painted Block Walls with Resiliently Mounted Gypsum Wallboard .....	6.9
6-11 Correction Factors for the Quality of Construction .....	6.9
7-1 Supply Air Sound Path 1 .....	7.3
7-2 Supply Air Sound Path 2 .....	7.4
7-3 Return Air Sound Path 3 .....	7.5
7-4 Total Sound Pressure Levels – All Paths .....	7.5

## FIGURES

	Page	
1-1	Propagation of Sound . . . . .	1.1
1-2	Successive Wave Fronts for Plane, Cylindrical, and Spherical Waves . . . . .	1.2
1-3	Radiation Fields of a Spherical Sound Source . . . . .	1.3
1-4	Acoustic Free and Reverberant Sound Fields . . . . .	1.3
1-5	Source, Path, and Receiver . . . . .	1.4
1-6	Mechanical Equipment Room Adjacent to Office Area . . . . .	1.4
1-7	Sound Energy Flowing Outward from a Spherical Sound Source through a Solid Angle . . . . .	1.5
1-8	Sound Radiated by a Spherical Sound Source . . . . .	1.6
1-9	Nomogram for Combining the Sound Levels of Uncorrelated Sound Sources . . . . .	1.8
1-10	Nomogram for Determining the Sound Pressure Level of a Sound Source in the Presence of Background Sound . . . . .	1.8
1-11	A and C Weighting Networks . . . . .	1.8
1-12	Normalized Response of Octave and Third Octave Band Filters . . . . .	1.9
1-13	Response Characteristics of a Typical Octave Band Filter Set . . . . .	1.9
1-14	Thresholds of Hearing . . . . .	1.10
1-15	Frequency Ranges of Musical Instruments and the Human Voice . . . . .	1.11
1-16	Equal Loudness Contours for Pure Tones in a Free Field . . . . .	1.12
1-17	Noise Criteria (NC) Curves . . . . .	1.12
1-18	NC Level for Example 1.4 . . . . .	1.12
1-19	Balanced Noise Criterion (NCB) Curves . . . . .	1.13
1-20	NCB Rating for Total Background Noise in Example 1-5 . . . . .	1.14
1-21	Room Criterion (RC) Curves . . . . .	1.15
1-22	RC Rating for Background Noise in Example 1-6 . . . . .	1.16
1-23	Room Criterion (RC) Curves for the Mark II Method . . . . .	1.16
1-24	RC Rating for Background Sound in Example 1-7 . . . . .	1.17
2-1	One-Degree-of-Freedom Vibrating System . . . . .	2.1
2-2	Harmonic Motion . . . . .	2.1
2-3	Amplitude and Phase Relationships Between Displacement, Velocity, and Acceleration . . . . .	2.2
2-4	Relation Between Static Deflection, $\delta$ , and Resonance Frequency, $f_N$ . . . . .	2.3
2-5	Vibration Isolation System with Four Springs . . . . .	2.3
2-5 (I-P)	Building Vibration Criteria for Vibration Measured on the Building Structure . . . . .	2.6
2-5 (SI)	Building Vibration Criteria for Vibration Measured on the Building Structure . . . . .	2.6
2-6 (I-P)	Equipment Vibration Severity Rating for Vibration Measured on Equipment Structure or Bearing Caps . . . . .	2.7
2-6 (SI)	Equipment Vibration Severity Rating for Vibration Measured on Equipment Structure or Bearing Caps . . . . .	2.7
2-7	Magnification Factor and Force Transmissibility as a Function of Frequency Ratio . . . . .	2.8
2-8	Schematic of Two-Degree-of-Freedom Vibration Model . . . . .	2.9
2-9	Typical Two-Degree-of-Freedom Vibration Response of Mechanical System on a Flexible Floor . . . . .	2.10
2-10	Open Exposed Spring Mount . . . . .	2.11
2-11	Restrained Spring Mount . . . . .	2.11
2-12	Spring Hanger . . . . .	2.11
2-13	Neoprene Mount . . . . .	2.12
2-14	Neoprene Pad . . . . .	2.12
2-15	Pneumatic Vibration Isolator . . . . .	2.12
2-16	Glass Fiber Pad . . . . .	2.13
2-17	Structural Base . . . . .	2.13
2-18	Steel Saddles . . . . .	2.13
2-19	Concrete-Steel Form Base . . . . .	2.14
2-20	Curb Base . . . . .	2.14
2-21	Spring Thrust Restraint . . . . .	2.14
2-22	Spring Hangers Used to Support Ducts . . . . .	2.15
2-23	Butyl Flexible Hoses . . . . .	2.15
2-24	Braided Stainless Steel Hoses . . . . .	2.15
2-25	Rubber Expansion Joint . . . . .	2.16



**FIGURES (continued)**

	<b>Page</b>
2-26	Pipe Vibration Isolation . . . . . 2.16
2-27	Spring Hangers Used to Support Pipes . . . . . 2.16
2-28	Riser Vibration Isolation System . . . . . 2.16
2-29	Riser Vibration Isolation System . . . . . 2.16
2-30	Floating Concrete Floors . . . . . 2.17
2-31	Jack-up Floating Floor . . . . . 2.17
2-32	Wooden Floating Floor . . . . . 2.17
3-1	Illustration of Well-Balanced HVAC Sound Spectrum for Occupied Spaces . . 3.1
3-2	Frequency Ranges of the Most Likely Sources of Acoustical Complaints . . . . 3.1
3-3	Frequencies at which Different Types of Mechanical Equipment Generally Control Sound Spectra . . . . . 3.2
3-4	Suggested Selection of Calculated Fan Point of Operation . . . . . 3.5
3-5	Basis for Fan Selection in VAV System . . . . . 3.7
3-6	Sound Paths for Typical Rooftop Installations . . . . . 3.9
3-7	Flow-Generated Duct Rumble . . . . . 3.10
3-8	Various Outlet Configurations for Centrifugal Fans and Their Possible Rumble Conditions . . . . . 3.10
3-9	Drywall Lagging on Duct for Duct Rumble . . . . . 3.10
3-10	Decoupled Drywall Enclosure for Duct Rumble . . . . . 3.11
3-11	Rectangular Duct with External Lagging . . . . . 3.11
3-12	Round Duct for Controlling Duct Rumble . . . . . 3.11
3-13	Recommendations for Minimizing Airflow Generated Noise in Duct Transitions and Offsets . . . . . 3.12
3-14	Recommendations for Minimizing Airflow Generated Noise in Duct Branch Takeoffs . . . . . 3.13
3-15	Recommendations for Minimizing Airflow Generated Noise in Duct Tees . . . . 3.14
3-16	Recommendations for Minimizing Airflow Generated Noise in Duct Elbows . . 3.14
3-17	Proper and Improper Airflow Conditions to an Air Terminal Outlet . . . . . 3.15
3-18	Effect of Proper and Improper Alignment of Flexible Duct Connector . . . . . 3.15
4-1	Cooling Towers . . . . . 4.5
5-1	Damper . . . . . 5.1
5-2	Characteristic Spectrum, $K_D$ , for Dampers . . . . . 5.2
5-3	90-Degree Elbow Fitted with Turning Vanes . . . . . 5.3
5-4	Characteristic Spectrum, $K_T$ , for Elbows Fitted with Turning Vanes . . . . . 5.3
5-5	Elbows, Junctions, and Branch Takeoffs . . . . . 5.4
5-6	Correction Factors for Corner Rounding and for Upstream Turbulence . . . . . 5.5
5-7	Characteristic Spectrum, $K_J$ , for Turns and Junctions . . . . . 5.5
5-8	Generalized Octave Band Spectrum Shape Associated with Diffuser Noise . . 5.9
5-9	Schematic of a Plenum Chamber . . . . . 5.11
5-10	Insertion Loss Values for Unlined and Lined Square Elbows without Turning Vanes . . . . . 5.20
5-11	Rectangular Duct Elbows . . . . . 5.21
5-12	Dissipative Passive Duct Silencers . . . . . 5.24
5-13	Active Duct Silencer . . . . . 5.25
5-14	Insertion Loss of Active and Dissipative Silencers . . . . . 5.26
5-15	Breakout and Breakin of Sound in Ducts . . . . . 5.32
5-16	$TL_{OUT}$ Associated with Unlined and Acoustically Lined Rectangular Ducts . . . . 5.33
5-17	$TL_{OUT}$ Associated with Unlined and Acoustically Lined Spiral-Wound Circular Ducts . . . . . 5.37
5-18	$TL_{OUT}$ Associated with Foil-Back, Fiberglass Duct Board Ducts . . . . . 5.41
5-19	Flat Oval Duct . . . . . 5.43
5-20	External Duct Lagging on Rectangular Ducts . . . . . 5.46
5-21	Insertion Loss Associated with Rectangular Duct Lagging . . . . . 5.46
6-1	Sound Source near a Reflecting Surface . . . . . 6.11
6-2	Correction Factor, $\Delta L$ , Associated with a Vertical Reflecting Surface . . . . . 6.11
6-3	Rigid Finite Barrier . . . . . 6.12
6-4	Excess Attenuation of Sound Associated with a Finite Rigid Barrier . . . . . 6.12
7-1	Sound Paths for the Roof Top Unit . . . . . 7.1
7-2	Sound Paths 1 and 2 in the Supply Air Side of the Roof Top Unit . . . . . 7.2

**FIGURES (continued)**

	<b>Page</b>
7-3 Sound Path 3 in the Return Air Side of the Roof Top Unit . . . . .	7.4
9-1 Schematic Diagram of Sound Level Meter . . . . .	9.1
9-2 Sectional View of a Condenser Microphone . . . . .	9.2
9-3 Recommended Microphones and Microphone Orientations for Free Field and Diffuse Field Sound Measurements . . . . .	9.2
9-4 Position of Sound Level Meter for Measuring Sound Levels . . . . .	9.6
10-1 Frequency Response of a Representative Stud-Mounted Accelerometer with Oil Film Relative to the Absolute Acceleration of the Structure at its Attachment . . . . .	10.4
10-2 Frequency Response of a Representative Cement-Mounted Accelerometer Relative to the Absolute Acceleration of the Structure at its Attachment . . . . .	10.4
10-3 Frequency Response of a Representative Accelerometer Mounted by Double-Sided Adhesive Tape Relative to the Absolute Acceleration of the Structure at its Attachment . . . . .	10.4
10-4 Frequency Response of a Representative Accelerometer Mounted with a Thin Layer of Beeswax Relative to the Absolute Acceleration of the Structure at its Attachment . . . . .	10.4
10-5 Frequency Response of a Representative Magnetically Mounted Accelerometer Relative to the Absolute Acceleration of the Structure at its Attachment . . . . .	10.4
10-6 Frequency Response of a Representative Accelerometer Attached to a Hand-Held Probe Relative to the Absolute Acceleration of the Structure at the Contact Point . . . . .	10.4
10-7 Positions and Directions of Vibration Measurement on Motor and Shaft Bearings . . . . .	10.5
10-8 Locations of Vibration Measurements on Structural Machine Bases . . . . .	10.6
10-9 Locations of Vibration Measurements on Inertia Machine Bases . . . . .	10.6

