

FOREWORD	iii
SEISMIC RESTRAINT TASK FORCE	v
NOTICE TO USERS OF THIS PUBLICATION	vii
TABLE OF CONTENTS	ix
CHAPTER 1 INTRODUCTION	Page
1.1	OVERVIEW	1.1
1.2	WHAT ARE SEISMIC LOADS?	1.1
1.3	WHAT HAPPENS DURING AN EARTHQUAKE?	1.1
1.4	HOW TO RESIST SEISMIC LOADS	1.1
1.5	KINDS OF BRACING	1.1
1.6	WHY DIFFERING REQUIREMENTS?	1.1
CHAPTER 2 INSTRUCTIONS FOR USING THE GUIDELINES		
2.1	THE SEISMIC HAZARD LEVEL (SHL)	2.1
2.2	HOW TO READ THE SIZING TABLES	2.1
2.3	USING THE SIZING TABLES	2.1
2.4	EXAMPLE: DUCT BRACING	2.2
CHAPTER 3 GENERAL REQUIREMENTS		
3.1	GENERAL REQUIREMENTS	3.1
3.2	MATERIAL SPECIFICATIONS	3.1
3.3	GENERAL REQUIREMENTS FOR BRACING OF DUCTS	3.2
3.4	GENERAL REQUIREMENTS FOR BRACING OF PIPES	3.3
3.5	ITEMS TO BE PROVIDED BY THE DESIGN PROFESSIONALS	3.4
3.6	NOTES ON ATTACHMENT TO THE BUILDING STRUCTURE	3.4
CHAPTER 4 DETAIL DRAWINGS OF BRACING		
4.1	INSTRUCTIONS FOR BRACING INDIVIDUALLY SUPPORTED PIPE	4.1
CHAPTER 5 TABLES FOR SEISMIC HAZARD LEVEL A		
5.1	USE OF TABLES	5.1
CHAPTER 6 TABLES FOR SEISMIC HAZARD LEVEL B		
6.1	USE OF TABLES	6.1
CHAPTER 7 TABLES FOR SEISMIC HAZARD LEVEL C		
7.1	USE OF TABLES	7.1
CHAPTER 8 TABLES FOR SEISMIC HAZARD LEVEL D		
8.1	USE OF TABLES	8.1



CHAPTER 9	DETAILS OF CONNECTIONS TO STRUCTURAL MEMBERS	Page
9.1	INTRODUCTION	9.1
CHAPTER 10	MISCELLANEOUS CONNECTIONS	
10.1	INTRODUCTION	10.1
APPENDIX A	DETERMINING THE SEISMIC HAZARD LEVEL	



TABLES

	Page
3-1 Standard Sheet Metal Gages	3.1
3-2 Minimum Allowable Cable Strength	3.2
3-3 Minimum Allowable Design Values for Expansion Anchors	3.2
5-1 Side Bracing for Rectangular Ducts, SHL A, L=2 ft 8 in. (Max.)	5.2
5-1M Side Bracing for Rectangular Ducts, SHL A, L=.81 m (Max.)	5.3
5-2 Side Bracing for Rectangular Ducts with Rod Hangers, SHL A	5.4
5-2M Side Bracing for Rectangular Ducts with Rod Hangers, SHL A	5.5
5-3 Center Bracing for Rectangular Ducts, SHL A, L=7 ft	5.6
5-3M Center Bracing for Rectangular Ducts, SHL A, L=2.1 m	5.7
5-4 Center Bracing for Rectangular Ducts, SHL A, L=10 ft	5.8
5-4M Center Bracing for Rectangular Ducts, SHL A, L=3.0 m	5.9
5-5 Floor Supported Ducts, SHL A	5.10
5-5M Floor Supported Ducts, SHL A	5.11
5-6 Bracing for Round Ducts, SHL A	5.12
5-6M Bracing for Round Ducts, SHL A	5.13
5-7 Schedule for Bracing Pipes and Conduit, SHL A	5.14
5-7M Schedule for Bracing Pipes and Conduit, SHL A	5.15
5-8 Schedule for Bracing Pipes on Trapeze, SHL A	5.16
5-8M Schedule for Bracing Pipes on Trapeze, SHL A	5.17
5-9 Floor Supported Pipes, SHL A	5.18
5-9M Floor Supported Pipes, SHL A	5.19
6-1 Side Bracing for Rectangular Ducts, SHL B, L=2 ft 8 in. (Max.)	6.2
6-1M Side Bracing for Rectangular Ducts, SHL B, L=.81 m (Max.)	6.3
6-2 Side Bracing for Rectangular Ducts with Rod Hangers, SHL B	6.4
6-2M Side Bracing for Rectangular Ducts with Rod Hangers, SHL B	6.5
6-3 Center Bracing for Rectangular Ducts, SHL B, L=7 ft	6.6
6-3M Center Bracing for Rectangular Ducts, SHL B, L=2.1 m	6.7
6-4 Center Bracing for Rectangular Ducts, SHL B, L=10 ft	6.8
6-4M Center Bracing for Rectangular Ducts, SHL B, L=3.0 m	6.9
6-5 Floor Supported Ducts, SHL B	6.10
6-5M Floor Supported Ducts, SHL B	6.11
6-6 Bracing for Round Ducts, SHL B	6.12
6-6M Bracing for Round Ducts, SHL B	6.13
6-7 Schedule for Bracing Pipes and Conduit, SHL B	6.14
6-7M Schedule for Bracing Pipes and Conduit, SHL B	6.15
6-8 Schedule for Bracing Pipes on Trapeze, SHL B	6.16
6-8M Schedule for Bracing Pipes on Trapeze, SHL B	6.17
6-9 Floor Supported Pipes, SHL B	6.18
6-9M Floor Supported Pipes, SHL B	6.19
7-1 Side Bracing for Rectangular Ducts, SHL C, L=2 ft 8 in. (Max.)	7.2
7-1M Side Bracing for Rectangular Ducts, SHL C, L=.81 m (Max.)	7.3
7-2 Side Bracing for Rectangular Ducts with Rod Hangers, SHL C	7.4
7-2M Side Bracing for Rectangular Ducts with Rod Hangers, SHL C	7.5
7-3 Center Bracing for Rectangular Ducts, SHL C, L=7 ft	7.6
7-3M Center Bracing for Rectangular Ducts, SHL C, L=2.1 m	7.7
7-4 Center Bracing for Rectangular Ducts, SHL C, L=10 ft	7.8
7-4M Center Bracing for Rectangular Ducts, SHL C, L=3.0 m	7.9
7-5 Floor Supported Ducts, SHL C	7.10
7-5M Floor Supported Ducts, SHL C	7.11
7-6 Bracing for Round Ducts, SHL C	7.12



7-6M	Bracing for Round Ducts, SHL C	7.13
7-7	Schedule for Bracing Pipes and Conduit, SHL C	7.14
7-7M	Schedule for Bracing Pipes and Conduit, SHL C	7.15
7-8	Schedule for Bracing Pipes on Trapeze, SHL C	7.16
7-8M	Schedule for Bracing Pipes on Trapeze, SHL C	7.17
7-9	Floor Supported Pipes, SHL C	7.18
7-9M	Floor Supported Pipes, SHL C	7.19
8-1	Side Bracing for Rectangular Ducts, SHL D, L=2 ft 8 in. (Max.)	8.2
8-1M	Side Bracing for Rectangular Ducts, SHL D, L=.81 m (Max.)	8.3
8-2	Side Bracing for Rectangular Ducts with Rod Hangers, SHL D	8.4
8-2M	Side Bracing for Rectangular Ducts with Rod Hangers, SHL D	8.5
8-3	Center Bracing for Rectangular Ducts, SHL D, L=7 ft	8.6
8-3M	Center Bracing for Rectangular Ducts, SHL D, L=2.1 m	8.7
8-4	Center Bracing for Rectangular Ducts, SHL D, L=10 ft	8.8
8-4M	Center Bracing for Rectangular Ducts, SHL D, L=3.0 m	8.9
8-5	Floor Supported Ducts, SHL D	8.10
8-5M	Floor Supported Ducts, SHL D	8.11
8-6	Bracing for Round Ducts, SHL D	8.12
8-6M	Bracing for Round Ducts, SHL D	8.13
8-7	Schedule for Bracing Pipes and Conduit, SHL D	8.14
8-7M	Schedule for Bracing Pipes and Conduit, SHL D	8.15
8-8	Schedule for Bracing Pipes on Trapeze, SHL D	8.16
8-8M	Schedule for Bracing Pipes on Trapeze, SHL D	8.17
8-9	Floor Supported Pipes, SHL D	8.18
8-9M	Floor Supported Pipes, SHL D	8.19
9-1	Schedule for Typical Connections to Structural Supporting Members ¹	9.2
9-1M	Schedule for Typical Connections to Structural Supporting Members ¹	9.3



FIGURES**Page**

4-1	Typical Locations of Bracing	4.4
4-2	Side Bracing for Rectangular Ducts	4.5
4-3	Side Bracing for Rectangular Ducts	4.6
4-4	Cable Side Bracing for Rectangular Ducts	4.7
4-5	Side Bracing for Rectangular Ducts	4.8
4-6	Center Bracing for Rectangular Ducts	4.9
4-7	Cable Center Bracing for Rectangular Ducts	4.10
4-8	Floor Supported Duct	4.11
4-9	Single Hanger Bracing for Round Ducts 33-36 Inches (838-900 mm)	4.12
4-10	Single Hanger Cable Bracing for Round Ducts 33-36 Inches (838-900 mm)	4.13
4-11	Double Hanger Bracing for Round Ducts Up to 84 Inches (2100 mm)	4.14
4-12	Double Hanger Bracing for Round Ducts Up to 84 Inches (2100 mm)	4.15
4-13	Transverse Bracing for Pipes	4.16
4-14	Strut Bracing for Pipes	4.17
4-15	Alternate Attachment to Hanger for Pipe Bracing	4.18
4-16	Longitudinal Bracing for Pipes	4.19
4-17	Alternate Bracing for Pipes	4.20
4-18	Cable Bracing for Pipes	4.21
4-19	Longitudinal Cable Bracing for Pipes	4.22
4-20	Strut Bracing for Pipe Trapeze	4.23
4-21	Cable Bracing for Pipe Trapeze	4.24
4-22	Floor Supported Pipes	4.25
9-1	Connections to Concrete	9.4
9-1B	Connections to Concrete	9.5
9-2	Adjustable Connections to Concrete	9.6
9-3	Alternate Hinged Connections to Concrete	9.7
9-4	Alternate Connections to Concrete	9.8
9-5	Alternate Connections to Concrete	9.9
9-6	Connections to Concrete Fill on Steel Deck	9.10
9-7	Connections to Concrete	9.11
9-8	Connections to Steel	9.12
9-9	Connections to Open Web Steel Joists	9.13
9-10	Alternate Connection to Open Web Steel Joists	9.14
9-11	Connections to Steel	9.15
9-12	Connections to Steel	9.16
9-13	Ducts Hung Below Steel Beams	9.17
9-14	Acceptable Details-Wire Connections to Structure	9.18
9-15	Hanger Connection to Wood	9.19
9-16	Connections to Wood I-Joist	9.20
9-17	Connections to Wood	9.21
10-1	Cable Connection to Duct Frame	10.2
10-2	Alternate Cable Connection to Duct Frame	10.3
10-3	Longitudinal Cable Connection to Duct Hanger	10.4
10-4	Alternate Longitudinal Cable Bracing Connection to Duct Hanger	10.5
10-5	Cable End Connection	10.6
10-6	Pipe Strut Connections	10.7
10-7	Connections for Framing Channel	10.8
10-8	Hanger Rod Connections	10.9
10-9	Hubless Cast Iron Pipe	10.10
10-10	Riser Bracing for Hubless Pipes	10.11



10-11 Framing Channel	10.12
10-12 Connections for Pipes on Trapeze	10.13
10-13 Alternate Stiffener Connection	10.14
10-14 Safety Supports for Ceiling-Mounted Distribution Device	10.15
10-15 Seismic Joints In Pipes	10.16
10-16 Transverse Brace at Steam Pipes	10.17
10-17 Welded Tabs	10.18
10-18 Stiffeners And Saddles at Pipe Clamps	10.19
10-19 Seismic Bracing of Pipes on Isolators	10.20

