

FOREWORD		iii
FORMER TASK FORCE MEMBERS AND OTHER CONTRIBUTORS		iv
NOTICE TO USERS OF THIS PUBLICATION		v
TABLE OF CONTENTS		vii
CHAPTER 1	SCOPE	Page
1.1	SCOPE	1.1
1.2	WHAT IS THE PURPOSE OF INSPECTION?	1.1
1.3	WHAT IS THE VALUE OF INSPECTION?	1.1
1.4	WHAT IS THE COST OF INSPECTION?	1.1
1.5	DOES THE TIMING OF INSPECTIONS AFFECT CONSTRUCTION COSTS? ...	1.1
1.6	WHAT RISKS ARE INVOLVED WHEN INSPECTIONS ARE NOT DONE OR ARE NOT DONE PROPERLY?	1.1
1.7	WHAT QUALIFICATIONS ARE NEEDED BY INSPECTORS?	1.2
1.8	HOW DO I USE THIS GUIDE?	1.2
1.9	DUCT INSPECTIONS OVERVIEW	1.2
CHAPTER 2	COMPLIANCE AND QUALITY CONTROL	
2.1	COMPLIANCE AND QUALITY CONTROL	2.1
2.2	CHECKLISTS	2.1
APPENDIX A	FUNCTIONS OF DUCTED AIR HANDLING SYSTEMS	
A.1	VENTILATION AND AIR CONDITIONING	A.1
A.2	CENTRAL AIR HANDLING SYSTEM	A.1
A.3	DEDICATED EXHAUST SYSTEMS	A.1
A.4	ROOM AIR DISTRIBUTION	A.1
A.5	ROOM PRESSURE CONTROL	A.2
A.6	INFILTRATION AND EXFILTRATION	A.2
A.7	CENTRAL ALARM CONTROL STATIONS	A.2
A.8	TESTING AND BALANCING	A.2
A.9	SYMBOLS	A.2
APPENDIX B	DUCT CONSTRUCTION MATERIALS	
B.1	GALVANIZED STEEL	B.1
B.2	CARBON STEEL (BLACK IRON)	B.1
B.3	STAINLESS STEEL	B.1
B.4	ALUMINUM	B.1
B.5	COPPER	B.1
B.6	FIBERGLASS REINFORCED PLASTIC (FRP)	B.1
B.7	POLYVINYL CHLORIDE (PVC)	B.2
B.8	POLYVINYL STEEL (PVS)	B.2
B.9	CONCRETE	B.2
B.10	ASBESTOS CEMENT	B.2
B.11	RIGID FIBROUS GLASS	B.2
B.12	GYPSUM BOARD	B.2



APPENDIX C	HVAC DUCT CONSTRUCTION STANDARDS	Page
C.1	DUCT CONSTRUCTION AND INSTALLATION STANDARDS	C.1
C.2	DUCT SEALING COMMENTARY	C.2
C.3	RECTANGULAR DUCT REINFORCEMENT	C.5
C.4	INTRODUCTION TO THE RECTANGULAR DUCT CONSTRUCTION SCHEDULES	C.8
C.5	TRANSVERSE JOINTS FOR RECTANGULAR DUCT	C.25
C.6	VOLUME DAMPERS (NOTES FOR FIGURES C-15 AND C-16)	C.42
C.7	COMMENTARY	C.42
C.8	SPECIFICATION FOR SUPPORTING FLEXIBLE DUCT	C.48
C.9	ROUND DUCT CONSTRUCTION STANDARDS	C.51
C.10	COMMENTARY	C.51
C.11	CASING AND PLENUM CONSTRUCTION STANDARDS	C.71

APPENDIX D FIRE, SMOKE, AND RADIATION DAMPER GUIDE

APPENDIX E FIBROUS GLASS DUCT CONSTRUCTION

E.1	FIBROUS GLASS DUCT CHARACTERISTICS AND LIMITATIONS	E.1
E.2	CLOSURES	E.2
E.3	ADDITIONAL FIBROUS GLASS DUCT CONSTRUCTION DETAILS	E.5



TABLES

	Page
B-1	Galvanized Sheet Thickness Tolerances B.3
B-2	Manufacturers Standard Gage-Thickness (Uncoated Steel) B.4
B-3	Stainless Steel Sheet Thickness B.5
B-4	Aluminum Sheet Thickness (Alloy 3003-H14) B.6
C-1	Standard Duct Sealing Requirements C.2
C-2	Rectangular Duct Reinforcement C.14
C-2M	Rectangular Duct Reinforcement C.15
C-3	Unreinforced Duct (Wall Thickness) C.18
C-3M	Unreinforced Duct (Wall Thickness) C.19
C-4	Intermediate Reinforcement C.30
C-4M	Intermediate Reinforcement C.31
C-5	Transverse Joint Reinforcement C.32
C-5M	Transverse Joint Reinforcement C.33
C-6	Transverse Joint Reinforcement C.34
C-6M	Transverse Joint Reinforcement C.35
C-7	Mitered Elbows C.52
C-8	Round Duct Gage Unreinforced Positive Pressure C.54
C-8M	Round Duct Gage Unreinforced Positive Pressure C.55
C-9	Rectangular Duct Hangers Minimum Size C.62
C-9M	Rectangular Duct Hangers Minimum Size C.63
C-10	Minimum Hanger Sizes for Round Duct C.64
D-1	Recommended Fire Damper Installation Instructions D.1
D-2	Recommended Minimum Sleeve Thickness for Fire Dampers* D.3
E-1	Tie Rod System Reinforcement Schedule E.8
E-1M	Tie Rod System Reinforcement Schedule E.9
E-2	Channel System Reinforcement Schedule E.12
E-2M	Channel System Reinforcement Schedule E.13
E-3	Partial Wrap-around Reinforcement Schedule E.16
E-3M	Partial Wrap-around Reinforcement Schedule E.17
E-4	Maximum Hanger Spacing by Duct Size, I.D. E.19
E-5	Channel Selection E.19

FIGURES

A-1	Symbols For HVAC Systems A.4
A-1M	Symbols For HVAC Systems (Metric) A.5
A-2	Single Duct System A.6
A-3	Terminal Reheat System A.6
A-4	Multi-Zone System A.7
A-5	Variable Volume System A.7
A-6	Duct System Example A.8
A-6M	Duct System Example (Metric) A.9
A-7	Duct Pressure Class Designation A.10
C-1	Dependent Variables C.7
C-2	Reading Guide Summary C.9
C-3	Unreinforced Duct C.16
C-4	Crossbroken And Beaded Duct C.20
C-5	Flexible Duct Liner Installation C.21
C-6	Liner Fasteners C.22
C-7	Duct Reinforced On Two Sides C.23
C-8	Reinforcement Attachment C.24
C-9	Rectangular Duct/Transverse Joints C.26
C-9	Rectangular Duct/Transverse Joints (Continued) C.27
C-9	Rectangular Duct/Transverse Joints (Continued) C.28
C-9	Rectangular Duct/Transverse Joints (Continued) C.29
C-10	Rectangular Duct/Longitudinal Seams C.36
C-11	Rectangular Elbows C.37



C-11	Rectangular Elbows (Continued)	C.38
C-12	Vanes And Vane Runners	C.39
C-13	Vane Support In Elbows	C.40
C-14	Branch Connection	C.41
C-15	Volume Dampers – Single Blade Type	C.43
C-16	Multiblade Volume Dampers	C.44
C-17	Offsets And Transitions	C.45
C-18	Remote Heating And Cooling Coil Installations	C.46
C-19	Ceiling Diffuser Branch Ducts	C.47
C-20	Flexible Duct Supports	C.49
C-21	Flexible Duct Supports	C.50
C-22	Round Duct Transverse Joints	C.56
C-22	Round Duct Transverse Joints (Continued)	C.57
C-23	Round Duct Longitudinal Seams	C.58
C-24	Hanger Attachments To Structures	C.59
C-25	Upper Attachment Devices – Typical	C.60
C-26	Lower Hanger Attachments	C.61
C-27	Riser Supports – From Floor	C.66
C-27M	Riser Supports – From Floor	C.67
C-28	Rooftop Duct Installation	C.68
C-29	Equipment And Duct Support Flashing	C.69
C-30	Rectangular Gooseneck	C.70
C-31	Built-up Standing Seam Casing	C.72
C-32	Dishwasher Vapor Exhaust	C.73
D-1	Basic Fire Damper Installation Details	D.2
D-2	UL Duct-sleeve Connections (Breakaway Connections)	D.4
D-2	UL Duct-sleeve Connections (Breakaway Connections) (Continued)	D.5
D-3	Fire Damper Opening Protection	D.6
D-4	Curtain Fire Dampers	D.7
D-5	Combination Fire And Smoke Dampers	D.8
D-6	Duct Liner Interruption	D.9
D-7	Access Doors And Panels	D.10
D-8	Leakage Rated (Smoke) Damper	D.11
D-9	Fire Rated Ceiling Assemblies	D.12
E-1	Tape Closure Joint, With Staple Flap	E.3
E-2	Tape Closure Joint, Without Staple Flap	E.3
E-3	Closures (Continued)	E.4
E-4	Tie Rod Reinforcement At Joint	E.5
E-5	Sheet Metal And Equipment Connection Details	E.6
E-6	Sheet Metal And Equipment Connection Details (Continued)	E.7
E-7	Tie Rod Reinforcement	E.8
E-7M	Tie Rod Reinforcement	E.9
E-8	Tie Rod Termination Methods	E.10
E-9	Channel Reinforcement, Positive Pressure Systems	E.14
E-10	Channel Reinforcement, Negative Pressure Systems	E.15
E-11	Partial Wrap-around Reinforcement	E.16
E-11M	Partial Wrap-around Reinforcement	E.17
E-12	Allowable Hanger Spacing, Straight Duct – 3 Inch Wide Channels	E.18
E-13	Hanger Spacing And Extension – 3 Inch Wide Channels	E.19
E-14	Use Of 2 Inch Wide Hanger Channels	E.19
E-15	Access Door, Flange On Opening	E.20

